



A top-down view of a kitchen counter with various ingredients in small metal bowls and a plate of sliced potatoes. The counter is white with a grey marble pattern. In the top left, there is a bowl of yellow powder. In the top center, there are three small metal bowls containing brown powder, red chili flakes, and a white slice. In the top right, there is a red bowl filled with yellow sticks. In the middle right, there is a large metal plate with sliced potatoes. In the bottom right, there is another metal plate with sliced potatoes. In the bottom left, there is a striped cloth.

Table Of Content

- 3** About Quartz
- 4** Quartz Specification
- 5** Quartz Color Options

Discover the beauty & durability of Quartz

INDOQUARTZ

Our quartz countertops are made from natural stone by the highest quality standards. Its composition includes 90% natural quartz and 10% other minerals, binders, and pigments. Solid and beautiful, INDOQUARTZ is perfect for kitchens, bathrooms, or any space you want to decorate or make more functional.

Clean & Safe

INDOQUARTZ countertops are made with quartz and nonporous stones that protect from bacteria. Quartz is safe for food preparation and for use in any living space.

QUARTZ SPECIFICATION

Test item(s)	Test method(s)	Test result(s)
Absorption by weight	ASTM C97/C97M-15	0.04 %
Density	ASTM C97/C97M-15	2313 kg/m ³
Abrasion resistance (polished)	ASTM C241/C241M-15ε1	24
Modulus of rupture (2CM)	Refer to ASTM C99/C99M-15	Dry condition: 29.5 MPa Wet condition: 32.4 MPa
Flexural strength (2CM)	ASTM C880/C880M-15	Dry condition: 26.4 MPa Wet condition: 27.8 MPa
Compressive strength (2CM)	Refer to ASTM C170/C170M-17	Dry condition: 184 MPa Wet condition: 192 MPa
Coefficient of linear thermal expansion	ASTM D 4535-13ε1	22.2×10 ⁻⁶ /°C
Thermal Shock Resistance (Immersion method)	ASTM C484-99 (Reapproved 2014)	No visible defects
Resistance to Freeze-thaw Cycling	Refer to ASTM C1026-13	No obvious damage
Static coefficient of friction	ASTM C1028-07	Dry condition: 0.66 Wet condition: 0.54
Flammability test	ASTM E84-17	Class A

SIZE OF SLABS

Size	Length	Width	Thickness
Regular	118"	56"	20 mm or 30 mm
Jumbo	126"	63"	

EDGE OPTION



Eased Edge



Bullnose Edge

CERTIFICATIONS





QUARTZ COLOR OPTIONS

■ GROUP A



7008 - PREMIUM WHITE



7850 - ALPINE WHITE



7009 - FROST WHITE



7045 - NUGGET WHITE


* The color may be slightly different due to printing

** Information about technical details and colors from this catalog may be modified or updated by the company without prior notice. Please contact us for further information



QUARTZ COLOR OPTIONS

■ GROUP B



7028 - PURE WHITE



7611 - METROPOLIS GREY



PEBBLE



3032 - SANDBAR GREY



RAVEN



7304 - BLACK ALTA

QUARTZ COLOR OPTIONS

■ GROUP C



6501 - CARRARA WHITE



STEVRA



CLAMSHELL



ARGENTO BROWN



SEA STORM

■ GROUP D



CALACATTA SUMMER WHITE



CHOPIN



SWAN LAKE



CALACATTA SUMMER BLACK

* The color may be slightly different due to printing

** Information about technical details and colors from this catalog may be modified or updated by the company without prior notice. Please contact us for further information



QUARTZ COLOR OPTIONS

■ GROUP D



6089 - CALACATTA

Discover The Beauty Of
Quartz In Projects





4261 Communications Drive
Norcross, GA 30093, USA
🌐 www.indoquartz.com
✉ sales@indoquartz.com



10888 San Sevaine Way Unit F
Jurupa Valley, CA 91752, USA
🌐 www.indoquartz.com
✉ sales@indoquartz.com



7510 American Way
Groveland, FL 34736, USA
🌐 www.indoquartz.com
✉ sales@indoquartz.com



Rukan Great Wall C No. 35
Gondrong, Cipondoh,
Kota Tangerang, Banten 15147
Indonesia
🌐 www.indoquartz.co.id
✉ sales@indoquartz.co.id



Ruko Mendrisio 3, Jl. Boulevard iL Lago
Blk. B No.32, Paramount Gading,
Serpong, Kota Tangerang,
Banten 15810
🌐 www.indoquartz.co.id
✉ sales@indoquartz.co.id



Jl. Sunset Road No.85 X,
Seminyak, Kec. Kuta, Kabupaten
Badung, Bali 80361
🌐 www.homestyle.co.id
✉ sales@homestyle.co.id



88 Konrad Crescent #2
Markham, ON L3R 8T7, Canada
🌐 www.indoquartz.com
✉ sales@indoquartz.com



16-20 Williams Way
Wollaston Industrial Estate
Wollaston, Wellingborough,
Northamptonshire,
NN29 7RQ, United Kingdom
🌐 www.indoquartz.com
✉ sales@indoquartz.com



Division of YOUNG CORPORATION